

EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|---------------------|
| S1 | 1 | 10/594615 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/03/08 14:39 |
| S2 | 2 | "20070222092" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/03/08 14:39 |
| S3 | 12 | "5967637" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/03/08 14:40 |
| S4 | 737 | hayashi-masahiko\$22.in. or uek-kazunori\$22.in. or tazaki-satoshi\$22.in. or obuchi-kazuyuki\$22.in. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/03/08 14:45 |
| S5 | 191 | light adj guide adj plate and inject\$4 with gate | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/03/08 14:47 |
| S8 | 100 | two with inject\$4 with gates and (weld\$4 or meld\$4) with (line or region) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/03/08 15:24 |
| S13 | 0 | inject\$4 with gates with shear\$4 same temperature with (increas\$4 or rise) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/03/08 16:09 |
| S14 | 12 | inject\$4 with gates with shear\$4 same | US-PGPUB; | OR | OFF | 2012/03/08 |

| | | | | | | |
|-----|------|--|--|----|-----|---------------------|
| | | temperature | USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | | | 16:10 |
| S15 | 91 | inject\$4 with gates with shear\$4 same temperature | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/08 16:14 |
| S16 | 16 | inject\$4 with gates with shear\$4 same temperature with (increas\$4 or raise) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/08 16:32 |
| S17 | 2 | heating with gates with shear\$4 same temperature with (increas\$4 or raise) and injection with (mold\$4 or mould\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/08 16:36 |
| S18 | 67 | gates with shear\$4 near2 heat\$3 and injection with (mold\$4 or mould\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/08 16:37 |
| S19 | 10 | gates with (shear\$4 or friction\$4) near2 heat\$3 and injection with (mold\$4 or mould\$4) and (acrylic or methacrylic alicyclic) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/08 16:42 |
| S20 | 214 | two with inject\$4 with gates and (weld\$4 or meld\$4) with (line or region) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/08 16:54 |
| S21 | 2463 | ((264/1.1,328.9,328.12) or (425/542,573)).CCLS. | USPAT; USOCR | OR | OFF | 2012/03/08 17:12 |
| S24 | 4 | light adj guide adj plate and inject\$4 with inlets | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2012/03/08 17:35 |
| S25 | 10 | light adj guide adj plate and inject\$4 with gates | US-PGPUB; USPAT; USOCR; FPRS; EPO; | OR | OFF | 2012/03/08 17:36 |

| | | | | | | |
|-----|------|--|--|----|----|---------------------|
| | | | JPO; DERWENT; IBM_TDB | | | |
| S26 | 3457 | ((light adj guide adj (display or plate)) or (liquid adj crystal adj (display or plate)) or (light adj transmitting adj (plate or display))) and inject\$4 with gate | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/09 12:37 |
| S27 | 2911 | ((light adj guide adj (display or plate)) or (liquid adj crystal adj (display or plate)) or (light adj transmitting adj (plate or display))) and inject\$4 with gate and gate with (two or film or pin) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/09 12:38 |
| S28 | 123 | ((light adj guide adj (display or plate)) or (liquid adj crystal adj (display or plate)) or (light adj transmitting adj (plate or display))) and inject\$4 with gate and gate with (two or film or pin) and injection with (mold\$4 or mould\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/09 12:39 |
| S32 | 621 | ((light adj guide adj (display or plate)) or (liquid adj crystal adj (display or plate)) or (light adj transmitting adj (plate or display))) and gate with (two or film or pin) and injection with (mold\$4 or mould\$4) | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2012/03/09 13:13 |

3/ 12/ 2012 11:29:22 AM

C:\Users\jheitbrink\Documents\EAST\Workspaces\10594615.wsp